

BIG PARALLEL LATHE FOLLOW TPG1100X4000

Ref: TPG1100X4000 FOLLOW



Tech specs

Brand	FOLLOW
Height between centers	550
Distance between centers	4000
Swing over bed	1100
Swing over ram	1300
Swing over carriage	800
Bed width	600
Length gap	310
Main spindle hole	130
Spindle nose	CAMLOCK Nº11
Main spindle morse taper	MT5
Speed number	18
Longitudinal feed	(64)0,05-24.3
Cross feed	(64)0,025-12.15
Metric pitch	(50)1-120
Pasos Whitworth	(26) 14-1
Modular pitch	(53)0,5-120
Diametral pitch	(24) 1-28
Main spindle pitch	12
Cross carriage travel	500
Carriage travel	200
Max. dimension of tool	32x32
Diameter tailstock quill	100
Tailstock morse taper	MT 5
Number of speed ranges of spindle	18
Power of the main motor	15/20
Power of motor pump	0,09/0,12
Electrical voltage	230-400V/50 Hz
Dimensions (length x width x height)	6250x1760x1900
Net weight	6790
Quill diameter	100
Quill travel	250



Standard equipment

3 jaw universal chuck Ø400mm
4 independent jaw chuck Ø60mm
Face plate Ø 1000mm
Follow rest Ø 30 - 130mm
Steady rest Ø 40 - 320mm
Cast-iron monobloc bed
Dead center
Live center
Coolant system
Work light
Tool box
Certificate CE

