

UNIVERSAL MILLING MACHINE FOLLOW FU1600AV

Ref: FU1600AV FOLLOW



Tech specs

Brand	HELLER
Worktable surface	1600x360
T-slot	3x14
T-slot (size x pitch x nº)	5x14
Max. weight over table	300
Longitudinal travel	1300
Cross slide travel	300
Longitudinal feed	22-420
Cross feed	22-393
Vertical feed	10-168
Longitudinal and cross feed	1290-1205
Tapper	ISO50
Taper of ram headstock	ISO50
Boring taper	ISO50
Ram power	4
Power ram headstock	4
Ram movement	500
Ram travel	600
Table rotation	+/-35
Main motor power	4
Power	4
Distance spindle center/ column	225-725
Distance between the front spindle and the ram slide	175
Distance between the vertical spindle to the table	0-400
Distance headstock/ table	170-570
Distance spindle/ machine mirror	170-550
Dimensions (length x width x height)	2070x2025x2020
Net weight	2650



Standard equipment

FAGOR DRO X, Y, Z

Automatic movement X, Y, Z

Universal spindle ISO50

Horizontal milling diam.32*500

Horizontal milling diam.27*400

Collet chuck DIN 2080 ISO 50 set

Steady rest

Mechanical vice 160mm with rotating base

Cooling system

Working lamp

CE-Certified



Images

